

N. COMORBIDITY ASSESSMENT

INTERVIEWER: Subjects who have significant history of alcohol, marijuana, or other drug abuse and evidence of depression, mania, hypomania, dysthymia, or psychosis should be asked this section.

	<u>No</u>	<u>Yes</u>	<u>Unk</u>
INTERVIEWER: Does this section apply to subject?	<div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div>	1	9

Skip to Module F. Anxiety Disorders

INTERVIEWER: Rate first occurrence at right.

		<u>Code Response</u>			
		1	2	3	4

1. *You mentioned earlier your (mood changes/psychotic symptoms), and also that you were using (alcohol/drugs) heavily. Think about the first time you had any of these problems. Which came first (mood changes/psychotic symptoms) or (alcohol/drugs)?*

1. Mood changes/psychotic symptoms occurred first.
2. Alcohol/drug abuse occurred first.
3. Mood changes/psychotic symptoms and alcohol/drug abuse occurred at the same time.
4. Not clear.

	<u>No</u>	<u>Yes</u>	<u>Unk</u>
1.a) If 1. Mood changes/psychotic symptoms occurred first: <i>Did you have (mood changes/psychotic symptoms) right before you started using (alcohol/drugs) heavily?</i>	0	1	9

If yes:

1.a.1) *For how long did you have (mood changes/psychotic symptoms) right before you started using (alcohol/drugs) heavily?*

Days		OR	Weeks
<div style="border: 1px solid black; width: 40px; height: 20px;"></div>			<div style="border: 1px solid black; width: 40px; height: 20px;"></div>
			<div style="border: 1px solid black; width: 40px; height: 20px;"></div>
			<div style="border: 1px solid black; width: 40px; height: 20px;"></div>

1.b) **If 2.** Alcohol/drugs occurred first:
Were you using (alcohol/drugs) heavily right before you had (mood changes/psychotic symptoms)?

<u>No</u>	<u>Yes</u>	<u>Unk</u>
0	1	9

If yes:

1.b.1) *For how long were you using (alcohol/drugs) heavily right before your (mood changes/psychotic symptoms) began?*

Days		OR	Weeks
<div style="border: 1px solid black; width: 40px; height: 20px;"></div>			<div style="border: 1px solid black; width: 40px; height: 20px;"></div>
			<div style="border: 1px solid black; width: 40px; height: 20px;"></div>
			<div style="border: 1px solid black; width: 40px; height: 20px;"></div>

INTERVIEWER: If only one episode (total) of mood changes/psychotic symptoms, skip to **Module F. Anxiety Disorders**

N. COMORBIDITY ASSESSMENT

INTERVIEWER: Hand Comorbidity Card to subject.

2. Now I would like you to think about other episodes of **(Mood changes/Psychotic symptoms)** and tell me which statement on the card best characterizes these episodes.
- 1 2 3 4 5 6
1. Emotional/thinking difficulties always occurred first **Skip to question 4**
2. Alcohol/drug abuse always occurred first **Ask question 3, but skip 4**
3. Emotional/thinking difficulties and alcohol/drug abuse always occurred at the same time
4. No strict pattern (sometimes emotional/thinking difficulties first, sometimes alcohol drugs first)
5. Emotional/thinking difficulties and alcohol/drug abuse always occurred independently **Skip to Module F. Anxiety Disorders**
6. Not Clear
3. Have your **(Mood/Psychotic)** episodes ever continued after you stopped using **(Alcohol/Drugs)** heavily?
- 3.a) **If yes:** What was the longest time a **(Mood/Psychotic)** episode ever continued after you stopped using **(Alcohol/Drugs)**?
- Days OR Weeks
4. Did you ever continue to use **(Alcohol/Drugs)** heavily after your **(Mood/Psychotic)** episode stopped?
- 4.a) **If yes:** What was the longest you used **(Alcohol/Drugs)** heavily after a **(Mood/Psychotic)** episode stopped?
- Days OR Weeks
- No Yes Unk
0 1 9

-
- 1 = Emotional/thinking difficulties always occurred first.**
 - 2 = Alcohol/drug abuse always occurred first.**
 - 3 = Emotional/thinking difficulties and alcohol/drug abuse always occurred at the same time.**
 - 4 = No strict pattern (sometimes emotional/thinking difficulties first, sometimes alcohol/drugs first).**
 - 5 = Emotional/thinking difficulties and alcohol/drug abuse always occurred independently.**
 - 6 = Not clear.**